



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen

Version: 6

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen Breeze
(Contains:2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, 4-tert-Butylcyclohexyl acetate, Cinnamaldehyde, d-Limonene) VA-24-157

Other identifiers:

Unique Formula Identifier (UFI): 1GM0-70CM-D00C-7Y83

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Air Freshener,For Professional use only.

Uses advised against: Use only for intended applications

1.3 Details of the supplier of the safety data sheet

Company name: Merton Group UK Ltd

Company address: Unit 9, Foxholes Road, off Golf Course Lane, Leicester LE3 1TH

Contact: Product Development

E-Mail address: headoffice@mertongroup.co.uk

Company phone: +44 (0) 116 231 4040 (Office Hours 09:00 to 17:00)

1.4 Emergency telephone number

Emergency phone: [UK]111;[IE]+353 (0)1 809 2166;[BE]+32 (0)70 245 245;[BG]+359 (0)2 9154 233;[CZ]+420 224 919 293/+420 224 915 402;[DK]+45 8212 1212;[AT]+43 (0)1 406 43 43;[GR]+30 210 779 3777; [ES]+34 91 562 04 20;[EE][LV][SI][SE]112;[FI]+358 (0)9 471 977;[FR]+33 (0)1 45 42 59 59; [HR]+385 (0)1 23-48-342;[HU]+36 (06) 80 201-199;[IS]+354 543 2222;[IT]0016506 68593726; [LT]+370 (8)5 236 20 52/+370 (8)6 875 33 78;[NL]+31 (0)30 274 8888;[NO]+47 22 59 13 00; [PT]800 250 250;[RO]+40 (0)21 318 36 06;[SK]+421(0)254774166

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H317, May cause an allergic skin reaction.
H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning.

Hazard statements: H317, May cause an allergic skin reaction.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen

Version: 6

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information: EUH208, Contains (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one, 10-Undecenal, Citral, Eugenol, Geraniol, Isocyclocitral, Linalool, Linalyl acetate, Longifolene, alpha-Pinene, beta-Pinene, omega-Pentadecalactone. May produce an allergic reaction.

Precautionary statements: P280, Wear protective gloves/eye protection/face protection.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



2.3 Other hazards

Other hazards: Sensitisers declared on a CLP Hazard Label: (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one, 10-Undecenal, Citral, Eugenol, Geraniol, Isocyclocitral, Linalool, Linalyl acetate, Longifolene, alpha-Pinene, beta-Pinene, omega-Pentadecalactone
Hydrocarbon Concentration %: 1.9000%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|--------------------------------------------|--------------------------------------|---------------------------------------|------------------------|-------|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| 4-tert-Butylcyclohexyl acetate | 32210-23-4 | 250-954-9 | | 1-<5% | Skin Sens. 1B;H317,- | oral: ATE = 3370 mg/kg bw |
| Benzyl acetate | 140-11-4 | 205-399-7 | | 1-<5% | Aquatic Chronic 3; H412,- | oral: ATE = 2490 mg/kg bw |
| d-Limonene | 5989-27-5, 138-86-3, 5989-54-8 | 227-813-5, 205-341-0, 227-815-6 | | 1-<5% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3; H226-H304-H315-H317-H400-H412,- | M = 1 |
| Dihydromyrcenol | 18479-58-8 | 242-362-4 | | 1-<5% | Skin Irrit. 2-Eye Irrit. 2-STOT SE 3;H315-H319-H336,- | oral: ATE = 3020 mg/kg bw |
| 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde | 68039-49-6 | 268-264-1 | | 1-<5% | Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2; H315-H317-H411,- | oral: ATE = 2330 mg/kg bw |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen**Version:** 6

| | | | | | | |
|------------------------------------------|----------------------|-----------|--|---------|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one | 81786-73-4 | 279-822-9 | | 1-<5% | Skin Sens. 1B-Aquatic Chronic 2;H317-H411,- | oral: ATE = 2500 mg/kg bw |
| Carrageenan | 2593-40-5, 9000-07-1 | 232-524-2 | | 1-<5% | Acute Tox. 4;H312,- | |
| beta-Pinene | 127-91-3 | 204-872-5 | | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H304-H315-H317-H410,- | M = 1-M = 1 |
| alpha-Pinene | 80-56-8, 7785-26-4 | 201-291-9 | | 0.1-<1% | Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H302-H304-H315-H317-H410,- | M = 1-M = 1-oral: ATE = 500 mg/kg bw |
| Linalyl acetate | 115-95-7 | 204-116-4 | | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B;H315-H317,- | |
| Linalool | 78-70-6 | 201-134-4 | | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,- | oral: ATE = 2790 mg/kg bw |
| Longifolene | 475-20-7 | 207-491-2 | | 0.1-<1% | Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H304-H317-H410,- | M = 1-M = 1 |
| Citral | 5392-40-5 | 226-394-6 | | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319,- | |
| Benzyl benzoate | 120-51-4 | 204-402-9 | | 0.1-<1% | Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 2;H302-H400-H411,- | oral: ATE = 1160 mg/kg bw |
| 16-Hydroxy-7-hexadecenoic acid lactone | 123-69-3 | 204-644-5 | | 0.1-<1% | Aquatic Acute 1-Aquatic Chronic 1; H410,- | M = 10-M = 10 |
| 10-Undecenal | 112-45-8 | 203-973-1 | | 0.1-<1% | Skin Sens. 1B-Aquatic Chronic 3;H317-H412,- | |
| Cinnamaldehyde | 104-55-2, 57194-69-1 | 203-213-9 | | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1A-Aquatic Chronic 3;H315-H317-H319-H412,- | oral: ATE = 2220 mg/kg bw |
| Isocyclocitral | 1335-66-6, 1423-46-7 | 215-638-7 | | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B-Aquatic Chronic 3;H315-H317-H319-H412,- | oral: ATE = 3220 mg/kg bw |
| omega-Pentadecalactone | 106-02-5 | 203-354-6 | | 0.1-<1% | Skin Sens. 1B-Aquatic Chronic 2;H317-H411,- | |
| Eugenol | 97-53-0 | 202-589-1 | | 0.1-<1% | Eye Irrit. 2-Skin Sens. 1B;H317-H319,- | oral: ATE = 2500 mg/kg bw |
| Geraniol | 106-24-1 | 203-377-1 | | 0.1-<1% | Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1;H315-H317-H318,- | oral: ATE = 3600 mg/kg bw |

Substances with Community workplace exposure limits:

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen

Version: 6

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|------------------|--------------------------------------|---------------------------------------|------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| Citral | 5392-40-5 | 226-394-6 | | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319,- | |
| Propylene glycol | 57-55-6 | 200-338-0 | | 5-<10% | -;-,- | |
| alpha-Pinene | 80-56-8, 7785-26-4 | 201-291-9 | | 0.1-<1% | Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H302-H304-H315-H317-H410,- | M = 1-M = 1-oral: ATE = 500 mg/kg bw |
| beta-Pinene | 127-91-3 | 204-872-5 | | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H304-H315-H317-H410,- | M = 1-M = 1 |
| d-Limonene | 5989-27-5, 138-86-3, 5989-54-8 | 227-813-5, 205-341-0, 227-815-6 | | 1-<5% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3; H226-H304-H315-H317-H400-H412,- | M = 1 |

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen

Version: 6

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Air Freshener, For Professional use only.: Use in accordance with good manufacturing and industrial hygiene practices.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen

Version: 6

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

| Ingredient | CAS | EC | Description | Value |
|------------------|--------------------------------------|---------------------------------------|------------------------------------------------|-----------------------|
| Citral | 5392-40-5 | 226-394-6 | Polish NDS mgm3 | 27 mg/m ³ |
| | | | Polish NDSC h mgm3 | 54 mg/m ³ |
| Propylene glycol | 57-55-6 | 200-338-0 | UK WEL Long term ppm | 474 ppm |
| | | | UK WEL Long term mgm3 | 150 mg/m ³ |
| alpha-Pinene | 80-56-8, 7785-26-4 | 201-291-9 | (CH)-Switzerland_KZGW-Wert 1_mg/m ³ | 224 mg/m ³ |
| | | | (CH)-Switzerland_KZGW-Wert 2_ppm | 40 ppm |
| | | | (CH)-Switzerland_MAK-Wert 1_mg/m ³ | 112 mg/m ³ |
| | | | (CH)-Switzerland_MAK-Wert 2_ppm | 20 ppm |
| beta-Pinene | 127-91-3 | 204-872-5 | (CH)-Switzerland_KZGW-Wert 1_mg/m ³ | 224 mg/m ³ |
| | | | (CH)-Switzerland_KZGW-Wert 2_ppm | 40 ppm |
| | | | (CH)-Switzerland_MAK-Wert 1_mg/m ³ | 112 mg/m ³ |
| | | | (CH)-Switzerland_MAK-Wert 2_ppm | 20 ppm |
| d-Limonene | 5989-27-5, 138-86-3, 5989-54-8 | 227-813-5, 205-341-0, 227-815-6 | German OEL Long term ppm | 5 ppm |
| | | | German OEL Long term mgm3 | 28 mg/m ³ |
| | | | German OEL Short term mgm3 | 112 mg/m ³ |

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen

Version: 6

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|------------------------------------------------------------------|---------------------------------------------------------------|
| Physical State/Colour: | Solid |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| Melting point / freezing point: | Not determined |
| Boiling point or initial boiling point and boiling range: | > 100 °C |
| Flammability: | Not determined |
| Lower and upper explosion limit: | Not determined |
| Flash point: | > 100 °C |
| Auto-ignition temperature: | > 200 °C |
| Decomposition temperature: | Not relevant |
| pH: | Not determined Substance/mixture is non-soluble (in water) |
| Kinematic viscosity: | Not determined |
| Solubility: | Not determined |
| Partition coefficient: n-octanol/water (log value): | Not determined |
| Vapour pressure: | 0.43060307 mmHg |
| Density and/or relative density: | Not determined |
| Relative vapour density: | Not determined |
| Particle characteristics: | Not determined |

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen

Version: 6

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

| | |
|-------------------------------------------|------------------------------------------------------------------|
| Acute Toxicity: | Based on available data the classification criteria are not met. |
| Acute Toxicity Oral | >5000 |
| Acute Toxicity Dermal | >5000 |
| Acute Toxicity Inhalation | Not Available |
| Skin corrosion/irritation: | Based on available data the classification criteria are not met. |
| Serious eye damage/irritation: | Based on available data the classification criteria are not met. |
| Respiratory or skin sensitisation: | Sensitization - Skin Category 1 |
| Germ cell mutagenicity: | Based on available data the classification criteria are not met. |
| Carcinogenicity: | Based on available data the classification criteria are not met. |
| Reproductive toxicity: | Based on available data the classification criteria are not met. |
| STOT-single exposure: | Based on available data the classification criteria are not met. |
| STOT-repeated exposure: | Based on available data the classification criteria are not met. |
| Aspiration hazard: | Based on available data the classification criteria are not met. |

Information about hazardous ingredients in the mixture

| Ingredient | CAS | EC | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|-------------|-------------------------|-----------|---------------|-----------------|---------------------|---------------|
| Carrageenan | 2593-40-5, 9000-07-1 | 232-524-2 | Not available | 1100 | Not available | Not available |

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen

Version: 6

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable

12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | Sub Risk: | 14.4 Packing Group: |
|-----------------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| UN Model Regulations | UN3077 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (16-Hydroxy-7-hexadecenoic acid lactone, alpha-Pinene) | 9 | - | III |
| IMDG | UN3077 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (16-Hydroxy-7-hexadecenoic acid lactone, alpha-Pinene) MARINE POLLUTANT | 9 | - | III |
| ADR,RID,ADN | UN3077 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (16-Hydroxy-7-hexadecenoic acid lactone, alpha-Pinene) | 9 | - | III |
| ICAO TI | UN3077 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (16-Hydroxy-7-hexadecenoic acid lactone, alpha-Pinene) | 9 | - | III |

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen

Version: 6

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.: SDS_1119

Total % of high VP components (VOC): 9.8%

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: SS 1=41.67% EH C2=54.70% EH C3=5.42%

Total Fractional Values: SS 1=2.40 EH C2=1.83 EH C3=18.45

Key to revisions:

14.1. UN number

14.2. UN proper shipping name

Key to abbreviations:

| Abbreviation | Meaning |
|-------------------|--------------------------------------------------------------------|
| Acute Tox. 4 | Acute Toxicity - Dermal Category 4 |
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 |
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |
| Asp. Tox 1 | Aspiration Hazard Category 1 |
| Eye Dam. 1 | Eye Damage / Irritation Category 1 |
| Eye Irrit. 2 | Eye Damage / Irritation Category 2 |
| Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: 2798 - V-Air Solid Evolution Passive Air Freshener - Linen

Version: 6

| | |
|---------------|----------------------------------------------------------------------------------------------------------------------------------|
| P210 | Keep away from heat, sparks, open flames and hot surfaces. - No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing vapour or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P330 | Rinse mouth. |
| P331 | Do not induce vomiting. |
| P332/313 | If skin irritation occurs: Get medical advice/attention. |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337/313 | If eye irritation persists: Get medical advice/attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. |
| P391 | Collect spillage. |
| P403/233/235 | Store in a well-ventilated place. Keep container tightly closed. Keep cool. |
| P403/235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| STOT SE 3 | Specific Target Organ Toxicity (Single Exposure) Category 3 |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2 |
| Skin Sens. 1 | Sensitization - Skin Category 1 |
| Skin Sens. 1A | Sensitization - Skin Category 1A |
| Skin Sens. 1B | Sensitization - Skin Category 1B |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.